



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OR SUPPRESSION OF VARIOUS INSECT PESTS
IN RUBUS SPP.**

PERMIT NUMBER – PER91601

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 21 FEBRUARY 2022 TO 31 JANUARY 2028

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

TRIVOR INSECTICIDE (APVMA No. 80807)

PLUS OTHER REGISTERED PRODUCTS

Containing: 186 g/L ACETAMIPRID and 124 g/L PYRIPROXYFEN as the only active constituents.

RESTRAINT:

DO NOT apply by aircraft.

DO NOT apply if rainfall that is likely to produce runoff is forecast within 48 hours.

DO NOT apply during flowering.

DO NOT apply in Tasmania where the inter row area consists of bare soil.

Spray drift restraints:

Specific definitions for terms used in this section can be found at www.apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by a boom sprayer unless the following requirements are met:

- Spray droplets no smaller than a MEDIUM spray droplet size category.
- The following minimum distances between the application site and downwind sensitive areas are observed:

Buffer zones for boom sprayers:

Boom height above the target canopy	Natural aquatic areas	Pollinator areas	Vegetation areas
0.5 m or lower	5 metres	Not required	5 metres
1.0 m or lower	30 metres	Not required	30 metres

DO NOT apply by a vertical sprayer unless the following requirements are met:

- Spray is not directed above the target canopy.
- The outside of the sprayer is turned off when turning at the end of rows and when spraying the outer row on each side of the application site.
- The following minimum distances between the application site and downwind sensitive areas are observed:

Buffer zones for vertical sprayers:

Natural aquatic areas	Pollinator areas	Vegetation areas
5 metres	Not required	5 metres

Directions for Use:

Crop	Pest	Rate
Cane berries including blackberries and raspberries	Cottonseed bug (<i>Oxycarenus luctuosus</i>) Green potato bug (<i>Cuspicona simplex</i>) Green vegetable bug (<i>Nezara viridula</i>) Leafhoppers (<i>Empoasca</i> spp.)	40 mL/100 L
Field and protected grown crops	Light brown apple moth (<i>Epiphyas postvittana</i>) Mealybugs (<i>Pseudococcidae</i>) Planthoppers (<i>Fulgoroidea</i>) Scale insects (<i>Coccidae</i>)	
	Mediterranean fruit fly (<i>Ceratitis</i>) Queensland fruit fly (<i>Bactrocera tryoni</i>) (Suppression only)	

Critical Use Comments:

- Apply as a foliar cover spray when crop monitoring indicates first signs of pest infestation.
- Apply via airblast, boom sprayer or equivalent.
- Apply in sufficient water to provide thorough and uniform coverage of all plant foliage. Use a maximum spray volume of 1000 L/ha.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 14 days after the initial treatment.
- When spraying in protected cropping situations, only personnel involved in spraying should be present.

Withholding Period:

Harvest: Do not harvest for 7 days after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Export of treated produce

Maximum Residue Limits (MRLs) have been established to allow treated produce to be used for human consumption. MRLs have been established for ACETAMIPRID and PYRIPROXYFEN in CANE BERRIES. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply

only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Other Matters

Continued issuance of this permit is subject to the outcomes of the current APVMA review of Neonicotinoids. This permit may be impacted by the outcomes of this review.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note:

31/01/2025 - Permit amended to include other registered products. Buffer zones added. S161 statement added.

Permit expiry extended to 31/03/2026. Permit issued as version 2.

19/01/2026 – Permit expiry extended to 31/01/2028. Permit issued as Version 3.